

CERTIFICATE

TÜV NORD CERT GmbH

herewith declares that

TommaTech GmbH

Angerlweg 14 85748 Garching b.
Munich, Germany

is authorized to provide the product mentioned below with the mark as illustrated:



Description of product (details see Annex 2):

Crystalline Silicon Terrestrial Photovoltaic (PV) Modules

Certification program:	P12-VA-01 Rev. 17 09.20
Certification fundamental(s):	IEC 61701:2011 / EN 61701:2012 Severity 6.
Registered No.:	44 780 23 406749 - 178
Manufacturer:	see Annex 1
Test Report No.:	492012517.001
File No.:	PVP05132/23P-01

Valid until: 2029-01-24



TÜV NORD CERT GmbH
Certification Body
Consumer Products



Essen, 2023-06-27

Please also pay attention to the information stated overleaf.

Description of product(s):

Module types:	PV Modules with Segmented 6" PERC Mono-crystalline Silicon Solar Cells: 408 cells: TTxxx-72PMSH (xxx=460-505, in increment of 5) 408 cells: TTxxx-72PMSHFB (xxx=460-500, in increment of 5) 408 cells: TTxxx-72PMSHF (xxx=460-505, in increment of 5) 340 cells: TTxxx-60PMSH (xxx=380-420, in increment of 5) 340 cells: TTxxx-60PMSHFB (xxx=380-415, in increment of 5) 340 cells: TTxxx-60PMSHF (xxx=380-420, in increment of 5)
Maximum system voltage:	1500V
Fuse rating:	20A
Application class:	Class A
Electrical protection class:	Class II

Module types:	PV Modules with Segmented 8" PERC Mono-crystalline Silicon Solar Cells: 408 cells: TTxxx-68PMSH (xxx=635-660, in increment of 5) 414 cells: TTxxx-69PMSH (xxx=645-670, in increment of 5) 390 cells: TTxxx-65PMSH (xxx=605-630, in increment of 5) 340 cells: TTxxx-57PMSH (xxx=530-550, in increment of 5) 345 cells: TTxxx-58PMSH (xxx=535-555, in increment of 5) 325 cells: TTxxx-54PMSH (xxx=505-525, in increment of 5) 320 cells: TTxxx-46PMSH (xxx=405-425, in increment of 5) 320 cells: TTxxx-46PMSHF (xxx=425-445, in increment of 5) 320 cells: TTxxx-46PMSHFB (xxx=420-440, in increment of 5) 305 cells: TTxxx-44PMSHF (xxx=405-425, in increment of 5) 305 cells: TTxxx-44PMSH (xxx=405-425, in increment of 5) 305 cells: TTxxx-44PMSHFB (xxx=400-420, in increment of 5)
Maximum system voltage:	1500V
Fuse rating:	30A or 25A
Application class:	Class A
Electrical protection class:	Class II



Module types: **PV Modules with Half-cut 7" PERC Mono-crystalline Silicon Solar Cells:**

156 cells: TTxxx-156PM10 (xxx = 570-620, in increment of 5)
156 cells: TTxxx-156PMFB10 (xxx = 570-620, in increment of 5)
144 cells: TTxxx-144PM10 (xxx = 525-570, in increment of 5)
144 cells: TTxxx-144PMFB10 (xxx = 525-570, in increment of 5)
132 cells: TTxxx-132PM10 (xxx = 480-525, in increment of 5)
132 cells: TTxxx-132PMFB10 (xxx = 480-525, in increment of 5)
120 cells: TTxxx-120PM10 (xxx = 440-475, in increment of 5)
120 cells: TTxxx-120PMFB10 (xxx = 440-475, in increment of 5)
108 cells: TTxxx-108PM10 (xxx = 395-430, in increment of 5)
108 cells: TTxxx-108PMFB10 (xxx = 395-430, in increment of 5)

Maximum system voltage: 1500V

Fuse rating: 25A or 20A

Application class: Class A

Electrical protection class: Class II

Module types: **PV Modules with Half-cut 7" TOPCon Mono-crystalline Silicon Solar Cells:**

156 cells: TTxxx-156TN10 (xxx = 570-640, in increment of 5)
156 cells: TTxxx-156TNFB10 (xxx = 570-640, in increment of 5)
144 cells: TTxxx-144TN10 (xxx = 525-590, in increment of 5)
144 cells: TTxxx-144TNFB10 (xxx = 525-590, in increment of 5)
132 cells: TTxxx-132TN10 (xxx = 485-540, in increment of 5)
132 cells: TTxxx-132TNFB10 (xxx = 485-540, in increment of 5)
120 cells: TTxxx-120TN10 (xxx = 440-490, in increment of 5)
120 cells: TTxxx-120TNFB10 (xxx = 440-490, in increment of 5)
108 cells: TTxxx-108TN10 (xxx = 395-440, in increment of 5)
108 cells: TTxxx-108TNFB10 (xxx = 395-440, in increment of 5)

Maximum system voltage: 1500V

Fuse rating: 25A or 20A

Application class: Class A

Electrical protection class: Class II



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Module types:	PV Modules with Half-cut 8" PERC Mono-crystalline Silicon Solar Cells: 132 cells: TTxxx-132PM12 (xxx = 640-695, in increment of 5) 132 cells: TTxxx-132PMFB12 (xxx = 640-695, in increment of 5) 120 cells: TTxxx-120PM12 (xxx = 580-630, in increment of 5) 120 cells: TTxxx-120PMFB12 (xxx = 580-630, in increment of 5) 108 cells: TTxxx-108PM12 (xxx = 525-565, in increment of 5) 108 cells: TTxxx-108PMFB12 (xxx = 525-565, in increment of 5) 110 cells: TTxxx-110PM12 (xxx = 535-580, in increment of 5) 110 cells: TTxxx-110PMFB12 (xxx = 535-580, in increment of 5) 100 cells: TTxxx-100PM12 (xxx = 485-525, in increment of 5) 100 cells: TTxxx-100PMFB12 (xxx = 485-525, in increment of 5)
Maximum system voltage:	1500V
Fuse rating:	30A or 25A
Application class:	Class A
Electrical protection class:	Class II

Module types:	PV Modules with Half-cut 8" TOPCon Mono-crystalline Silicon Solar Cells: 132 cells: TTxxx-132TN12 (xxx = 650-700, in increment of 5) 132 cells: TTxxx-132TNFB12 (xxx = 650-700, in increment of 5) 120 cells: TTxxx-120TN12 (xxx = 590-635, in increment of 5) 120 cells: TTxxx-120TNFB12 (xxx = 590-635, in increment of 5) 108 cells: TTxxx-108TN12 (xxx = 530-570, in increment of 5) 108 cells: TTxxx-108TNFB12 (xxx = 530-570, in increment of 5) 110 cells: TTxxx-110TN12 (xxx = 540-580, in increment of 5) 110 cells: TTxxx-110TNFB12 (xxx = 540-580, in increment of 5) 100 cells: TTxxx-100TN12 (xxx = 490-530, in increment of 5) 100 cells: TTxxx-100TNFB12 (xxx = 490-530, in increment of 5)
Maximum system voltage:	1500V
Fuse rating:	30A or 25A
Application class:	Class A
Electrical protection class:	Class II

Remark:
For detailed product information, please refer to test report.



TÜV NORD CERT GmbH
Certification Body
Consumer Products